

**SMS LAMPS**

- Super Mini Spiral
- Lasts up to 10 times longer than incandescents
- Uses 75% less energy than standard incandescents
- Available in Warm White, Cool White & Daylight colors
- Standard Medium base
- Fits anywhere a standard incandescent bulb will fit
- Also available in Tuff Skin



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MDL	Pkg	ES
00638	SMS9/E/27K	Medium	9	40	Warm White	500	10,000	3.19	24/48	
00606	SMS9/E/27K/4PK	Medium	9	40	Warm White	500	10,000	3.19	24	
00639	SMS9/E/41K	Medium	9	40	Cool White	500	10,000	3.19	24/48	
00604	SMS9/E/41K/4PK	Medium	9	40	Cool White	500	10,000	3.19	24	
00640	SMS9/65K	Medium	9	40	Daylight	500	10,000	3.19	24/48	
00611	SMS9/65K/4PK	Medium	9	40	Daylight	500	10,000	3.19	24	
00641	SMS11/27K	Medium	11	40	Warm White	600	10,000	3.50	24/48	
00642	SMS11/41K	Medium	11	40	Cool White	600	10,000	3.50	24/48	
00643	SMS11/65K	Medium	11	40	Daylight	600	10,000	3.50	24/48	
00706	SMS13/E/27K	Medium	13	60	Warm White	900	10,000	3.78	24/48	
00609	SMS13/E/27K/4PK	Medium	13	60	Warm White	900	10,000	3.78	24	
00607	SMS13/E/27K/CD4	Medium	13	60	Warm White	900	10,000	3.78	6/12	
00707	SMS13/E/41K	Medium	13	60	Cool White	900	10,000	3.78	24/48	
00702	SMS13/E/41K/4PK	Medium	13	60	Cool White	900	10,000	3.78	24	
00708	SMS13/65K	Medium	13	60	Daylight	900	10,000	3.78	24/48	
00608	SMS13/65K/CD4	Medium	13	60	Daylight	900	10,000	3.78	6/12	

CD - Carded

SMS - T2 SUPER MINI SPIRAL 18, 20 & 23 Watt

COMPACT FLUORESCENT



SMS18 / SMS20



SMS23



SMS LAMPS

- Super Mini Spiral
- Lasts up to 10 times longer than incandescents
- Uses 75% less energy than standard incandescents
- Available in Warm White, Cool White & Daylight colors
- Standard Medium base
- Fits anywhere a standard incandescent bulb will fit
- Also available in Tuff Skin

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg	ES
00647	SMS18/E/27K	Medium	18	75	Warm White	1200	10,000	4.37	24/48	
00648	SMS18/E/41K	Medium	18	75	Cool White	1200	10,000	4.37	24/48	
00649	SMS18/65K	Medium	18	75	Daylight	1200	10,000	4.37	24/48	
00654	SMS20/E/27K	Medium	20	75	Warm White	1200	10,000	4.37	24/48	
00626	SMS20/E/27K/4PK	Medium	20	75	Warm White	1200	10,000	4.37	24	
00659	SMS20/E/41K	Medium	20	75	Cool White	1200	10,000	4.37	24/48	
00628	SMS20/E/41K/4PK	Medium	20	75	Cool White	1200	10,000	4.37	24	
00664	SMS20/65K	Medium	20	75	Daylight	1200	10,000	4.37	24/48	
00629	SMS20/65K/4PK	Medium	20	75	Daylight	1200	10,000	4.37	24	
00669	SMS23/E/27K	Medium	23	100	Warm White	1600	10,000	4.57	24/48	
00695	SMS23/E/27K/4PK	Medium	23	100	Warm White	1600	10,000	4.57	24	
00670	SMS23/41K	Medium	23	100	Cool White	1600	10,000	4.57	24/48	
00624	SMS23/41K/4PK	Medium	23	100	Cool White	1600	10,000	4.57	24	
00671	SMS23/65K	Medium	23	100	Daylight	1600	10,000	4.57	24/48	
00627	SMS23/65K/4PK	Medium	23	100	Daylight	1600	10,000	4.57	24	

SMS - T2 SUPER MINI SPIRAL 18, 20 & 23 Watt

COMPACT FLUORESCENT



SMS18 / SMS20



SMS23



SMS LAMPS

- Super Mini Spiral
- Lasts up to 10 times longer than incandescents
- Uses 75% less energy than standard incandescents
- Available in Warm White, Cool White & Daylight colors
- Standard Medium base
- Fits anywhere a standard incandescent bulb will fit
- Also available in Tuff Skin

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg	ES
00647	SMS18/E/27K	Medium	18	75	Warm White	1200	10,000	4.37	24/48	
00648	SMS18/E/41K	Medium	18	75	Cool White	1200	10,000	4.37	24/48	
00649	SMS18/65K	Medium	18	75	Daylight	1200	10,000	4.37	24/48	
00654	SMS20/E/27K	Medium	20	75	Warm White	1200	10,000	4.37	24/48	
00626	SMS20/E/27K/4PK	Medium	20	75	Warm White	1200	10,000	4.37	24	
00659	SMS20/E/41K	Medium	20	75	Cool White	1200	10,000	4.37	24/48	
00628	SMS20/E/41K/4PK	Medium	20	75	Cool White	1200	10,000	4.37	24	
00664	SMS20/65K	Medium	20	75	Daylight	1200	10,000	4.37	24/48	
00629	SMS20/65K/4PK	Medium	20	75	Daylight	1200	10,000	4.37	24	
00669	SMS23/E/27K	Medium	23	100	Warm White	1600	10,000	4.57	24/48	
00695	SMS23/E/27K/4PK	Medium	23	100	Warm White	1600	10,000	4.57	24	
00670	SMS23/41K	Medium	23	100	Cool White	1600	10,000	4.57	24/48	
00624	SMS23/41K/4PK	Medium	23	100	Cool White	1600	10,000	4.57	24	
00671	SMS23/65K	Medium	23	100	Daylight	1600	10,000	4.57	24/48	
00627	SMS23/65K/4PK	Medium	23	100	Daylight	1600	10,000	4.57	24	



SMSF LAMPS

- Super Mini Spiral
- Lasts up to 10 times longer than incandescents
- Uses 75% less energy than standard incandescents
- Available in Warm White, Cool White, Super White & Daylight colors
- Standard Medium base
- Fits anywhere a standard incandescent bulb will fit
- Also available in Tuff Skin



Item #	Description	Base	Watts	Eqv.	Color	Lumens	Hours	MOL	Pkg.	ES
00675	SMSF9/E/27K	Medium	9	40	Warm White	500	10,000	3.37	24/48	
00679	SMSF13/E/27K	Medium	13	60	Warm White	900	10,000	3.78	24/48	
00681	SMSF13/E/50K	Medium	13	60	Super White	900	10,000	3.78	24/48	
00682	SMSF13/E/65K	Medium	13	60	Daylight	900	10,000	3.78	24/48	
00685	SMSF18/E/50K	Medium	18	75	Super White	1200	10,000	4.27	24/48	
00687	SMSF23/E/27K	Medium	23	100	Warm White	1600	10,000	4.65	24/48	
00691	SMSF23/E/27K/CD	Medium	23	100	Warm White	1600	10,000	4.65	24/48	
00689	SMSF23/E/50K	Medium	23	100	Super White	1600	10,000	4.65	24/48	
00690	SMSF23/E/65K	Medium	23	100	Daylight	1600	10,000	4.65	24/48	
00692	SMSF23/E/65K/CD	Medium	23	100	Daylight	1600	10,000	4.65	24/48	
00672	SMSF26/27K	Medium	26	100	Warm White	1800	10,000	4.96	24/48	
00673	SMSF26/41K	Medium	26	100	Cool White	1800	10,000	4.96	24/48	
00674	SMSF26/65K	Medium	26	100	Daylight	1800	10,000	4.96	24/48	

CD - Capped

SM - T3 MINI SPIRAL 13 & 15 Watt

COMPACT FLUORESCENT



SM13



SM15

SM LAMPS

- Mini Spiral
- Available in Warm White, Cool White, Super White & Daylight colors
- Lasts up to 10 times longer and uses 75% less energy than standard incandescent bulbs
- Perfect for all general lighting
- Also available in Tuff Skin



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.	ES
05242	SM13/E/26K/CD2	Medium	13	60	Warm White	650	6,000	5.08	12/24	
05421	SM13/E/27K/CD1	Medium	13	60	Warm White	900	10,000	4.41	24/48	
05419	SM13/E/65K/CD1	Medium	13	60	Daylight	900	10,000	4.41	24/48	
05204	SM15/E/27K	Medium	15	60	Warm White	900	10,000	5.28	24/48	
05206	SM15/30K	Medium	15	60	Warm White	825	10,000	5.28	24/48	
05208	SM15/30K/CD2	Medium	15	60	Warm White	825	10,000	5.28	12/24	
05182	SM15/41K	Medium	15	60	Cool White	825	10,000	5.28	24/48	
05441	SM15/50K	Medium	15	60	Super White	825	10,000	5.28	24/48	
05207	SM15/65K	Medium	15	60	Daylight	825	10,000	5.28	24/48	
05231	SM15/65K/CD1	Medium	15	60	Daylight	825	10,000	5.28	12/24	

CD - Capped

SL LAMPS

- Energy saving spirals
- Lasts up to 10 times longer than incandescents
- Uses 75% less energy than standard incandescents
- Available in Warm White, Super White, Cool White & Daylight colors
- Also available in Tuff Skin



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg	ES
05412	SL13/27K	Medium	13	60	Warm White	750	10,000	5.24	24/48	
05198	SL13/27K/CD	Medium	13	60	Warm White	750	10,000	5.24	12/24	
05414	SL13/65K	Medium	13	60	Daylight	750	10,000	5.24	12/24	
05199	SL13/65K/CD	Medium	13	60	Daylight	750	10,000	5.24	12/24	
05200	SL15/27K/CD	Medium	15	60	Warm White	850	10,000	5.24	12/24	
05400	SL15/30K	Medium	15	60	Warm White	850	10,000	5.24	24/48	
05402	SL15/41K	Medium	15	60	Cool White	850	10,000	5.24	24/48	
05410	SL15/65K	Medium	15	60	Daylight	850	10,000	5.24	24/48	
05205	SL15/65K/CD	Medium	15	60	Daylight	850	10,000	5.24	12/24	
05468	SL18/27K/D*	Medium	18	75	Warm White	1200	10,000	5.28	24/48	
05467	SL20/27K/D*	Medium	20	75	Warm White	1350	10,000	5.47	24/48	
05475	SL23/L/27K	Medium	23	100	Warm White	1600	10,000	5.20	24/48	
05226	SL23/27K/CD	Medium	23	100	Warm White	1300	10,000	5.75	12/24	
05479	SL23/27K/D*	Medium	23	100	Warm White	1600	10,000	5.75	24/48	
05476	SL23/E/41K	Medium	23	100	Cool White	1600	10,000	5.20	24/48	
05496	SL26/E/27K	Medium	26	100	Warm White	1700	10,000	5.35	24/48	
05497	SL26/41K	Medium	26	100	Cool White	1700	10,000	5.35	24/48	
05498	SL26/50K	Medium	26	100	Super White	1700	10,000	5.35	24/48	
05499	SL26/65K	Medium	26	100	Daylight	1700	10,000	5.35	24/48	

CD - Capped * Dimmable

GU24 BASE - T3 SPIRAL 11, 13, 18 & 23 Watt

COMPACT FLUORESCENT

GU24 BASE LAMPS

- Energy saving spirals
- Can be used in damp locations
- Lasts up to 10 times longer than incandescents
- Uses 75% less energy than standard incandescents
- Made for Energy Star rated twist and lock fixtures
- Also available in Tuff Skin



SL11/GU24



SL13/GU24



SL18/GU24



SL23/GU24



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.	E5
00650	SL11/E/GU24/27K	GU24	11	40	Warm White	700	10,000	3.50	24/48	
00655	SL13/E/GU24/27K	GU24	13	60	Warm White	900	10,000	3.62	24/48	
00660	SL18/E/GU24/27K	GU24	18	75	Warm White	1200	10,000	4.20	24/48	
00665	SL23/E/GU24/27K	GU24	23	100	Warm White	1600	10,000	4.06	24/48	

CD - Carded

NEW!**DIMMABLE CFLs**

- Lasts up to 10 times longer than standard incandescent bulbs
- Uses 75% less energy than standard incandescent bulbs
- Warm White color
- Dimmable

dimmable

Item #	Description	Shape	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.	ES
05468	SL18/27K/D	Spiral	18	75	Warm White	1200	10,000	5.28	24/48	
05467	SL20/27K/D	Spiral	20	75	Warm White	1350	10,000	5.47	24/48	
05479	SL23/27K/D	Spiral	23	100	Warm White	1600	10,000	5.75	24/48	
05392	SL15R30/E/27K/D	R30	15	60	Warm White	680	8,000	6.10	12/24	
05382	SL23R40/27K/D	R40	23	100	Warm White	1040	10,000	7.00	12/24	

D=Dimmable

SL - HIGH WATTAGE SPIRALS 32 & 42 Watt

COMPACT FLUORESCENT

SL HIGH WATTAGE SPIRALS

- High wattage
- Compact size compared to other high wattage lamps
- Lasts up to 10 times longer and uses 75% less energy than standard incandescent bulbs
- Available in Warm White & Daylight colors
- Replaces 150 watt incandescent bulbs



SL32



SL42

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.	ES
05591	SL32/30K	Medium	32	150	Warm White	1900	10,000	6.65	24/48	
05586	SL32/65K	Medium	32	150	Daylight	1900	10,000	6.65	24/48	
05596	SL42/E/27K	Medium	42	150	Warm White	2800	12,000	7.00	24/48	
05597	SL42/65K	Medium	42	150	Daylight	2800	12,000	7.00	24/48	



SL HIGH WATTAGE SPIRALS

- Available in Medium and Mogul bases
- Available in Warm White, Cool White, Super White and Daylight colors
- Lasts up to 8 times longer and uses 75% less energy than standard incandescent bulbs
- Available in 120 Volts and 277 Volts
- Replaces 200W, 300W, 350W, 400W incandescent.
- Can be used for hydroponics applications



Item #	Description	Base	Watts	Equiv.	Volt	Color	Lumens	Hours	MOL	Pkg.
05574	SL45/30K/MED/120V	Medium	45	200	120	Warm White	2300	8,000	8.86	6/12
05575	SL45/65K/MED/120V	Medium	45	200	120	Daylight	2300	8,000	8.86	6/12
05576	SL45/65K/MOG/120V	Mogul	45	200	120	Daylight	2300	8,000	9.45	6/12
05579	SL65/30K/MED/120V	Medium	65	300	120	Warm White	3400	8,000	9.65	6/12
05515	SL65/41K/MED/120V	Medium	65	300	120	Cool White	3400	8,000	9.65	6/12
05517	SL65/50K/MED/120V	Medium	65	300	120	Super White	3400	8,000	9.65	6/12
05577	SL65/65K/MED/120V	Medium	65	300	120	Daylight	3400	8,000	9.65	6/12
05578	SL65/65K/MOG/120V	Mogul	65	300	120	Daylight	3400	8,000	10.24	6/12
05581	SL85/30K/MED/120V	Medium	85	350	120	Warm White	4200	8,000	10.24	6/12
05584	SL85/30K/MOG/120V	Mogul	85	350	120	Warm White	4200	8,000	10.83	6/12
05529	SL85/30K/MED/277V	Medium	85	350	277	Warm White	4200	8,000	10.24	6/12
05519	SL85/41K/MED/120V	Medium	85	350	120	Cool White	4200	8,000	10.24	6/12

SL - HIGH WATTAGE SPIRALS 85 & 105 Watt

COMPACT FLUORESCENT



Item #	Description	Base	Watts	Equip.	Volt	Color	Lumens	Hours	MOI	Pkg.
05533	SL85/41K/MED/277V	Medium	85	350	277	Cool White	4200	8,000	10.24	6/12
05523	SL85/50K/MED/120V	Medium	85	350	120	Super White	4200	8,000	10.24	6/12
05580	SL85/65K/MED/120V	Medium	85	350	120	Daylight	4200	8,000	10.24	6/12
05598	SL85/65K/MOG/120V	Mogul	85	350	120	Daylight	4200	8,000	10.83	6/12
05535	SL85/65K/MED/277V	Medium	85	350	277	Daylight	4200	8,000	10.24	6/12
05588	SL105/30K/MED/120V	Medium	105	400	120	Warm White	5000	8,000	11.00	6/12
05552	SL105/30K/MOG/120V	Mogul	105	400	120	Warm White	5000	8,000	11.60	6/12
05544	SL105/30K/MOG/277V	Mogul	105	400	277	Warm White	5000	8,000	11.60	6/12
05525	SL105/41K/MED/120V	Medium	105	400	120	Cool White	5000	8,000	11.00	6/12
05557	SL105/41K/MOG/120V	Mogul	105	400	120	Cool White	5000	8,000	11.60	6/12
05542	SL105 41K/MED/277V	Medium	105	400	277	Cool White	5000	8,000	11.00	6/12
05563	SL105/41K/MOG/277V	Mogul	105	400	277	Cool White	5000	8,000	11.60	6/12
05527	SL105/50K/MED/120V	Medium	105	400	120	Super White	5000	8,000	11.00	6/12
05593	SL105/65K/MED/120V	Medium	105	400	120	Daylight	5000	8,000	11.00	6/12
05559	SL105/65K/MOG/120V	Mogul	105	400	120	Daylight	5000	8,000	11.60	6/12
05567	SL105/65K/MOG/277V	Mogul	105	400	277	Daylight	5000	8,000	11.60	6/12

Helps Eliminate:

- + Bacteria
- + Viruses
- + Fungi
- + Household Odors
- + Mold
- + Smoke
- + Pollen

purion™
 air purifying lamp

NEW
 lasts up to
10,000
 hours


AP15



AP23



Sunlite's new purion™ lamp (compact fluorescent lamp) is the ultimate air purification system. Hidden inside the purion™ lamp is a unique ionizer that emits millions of powerful pollution fighting ions into the air every second. These ions attach themselves to airborne pollutants such as smoke, pollen, viruses and odor causing bacteria and cause them to literally fall to the ground where they can be cleaned away. Smoke and odors are instantly neutralized. Don't cover up the smell with air fresheners; destroy the odor with this unique system. It's ideal for use in homes, offices, hotels, hospitals, public buildings, dormitories and almost anywhere a normal light bulb may be used. Our purion™ lamp lasts up to 10 times longer than your average incandescent light bulb.

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.
05568	AP15/30K	Medium	15	60	Warm White	900	10,000	5.55	12/24
05569	AP15/65K	Medium	15	60	Daylight	900	10,000	5.55	12/24
05571	AP23/30K	Medium	23	100	Warm White	1500	10,000	6.10	12/24
05572	AP23/65K	Medium	23	100	Daylight	1500	10,000	6.10	12/24

SLJ - JAR/BULLET SHAPE 14, 15 & 20 Watt

COMPACT FLUORESCENT



SLJ - JAR/BULLET SHAPE LAMPS

- Standard Medium base
- Available in frosted white cover
- Available in Warm White, Super White and Daylight colors
- Lasts up to 8 times longer than incandescents
- Perfect for all general lighting
- Uses 75% less energy than standard incandescents



SLJ14



SLJ15



SLJ20

NEW!

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.
05324	SLJ14/27K	Medium	14	60	Warm White	800	8,000	5.43	12/24
05326	SLJ15/30K	Medium	15	60	Warm White	670	8,000	6.58	12/24
05310	SLJ15/50K	Medium	15	60	Super White	670	8,000	6.58	12/24
05327	SLJ15/65K	Medium	15	60	Daylight	670	8,000	6.58	12/24
05330	SLJ20/30K	Medium	20	75	Warm White	900	8,000	7.09	12/24
05314	SLJ20/50K	Medium	20	75	Super White	900	8,000	7.09	12/24

**SLG GLOBE BULBS**

- Standard Medium base
- Globe shaped white cover
- Available in Warm White, Super White and Daylight colors
- Lasts up to 8 times longer than incandescents
- Uses 75% less energy than standard incandescents



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.
05341	SLG5/G19/30K	Medium	5	20	Warm White	200	8,000	4.22	24/48
05343	SLG7/G21/27K	Medium	7	20	Warm White	280	8,000	4.57	24/48
05345	SLG9/G25/30K	Medium	9	30	Warm White	360	8,000	5.12	12/24
05346	SLG9/G25/65K	Medium	9	30	Daylight	360	8,000	5.12	12/24
05350	SLG15/G30/30K	Medium	15	60	Warm White	670	8,000	5.87	12/24
05318	SLG15/G30/50K	Medium	15	60	Super White	670	8,000	5.87	12/24
05351	SLG15/G30/65K	Medium	15	60	Daylight	670	8,000	5.87	12/24
05355	SLG20/G30/30K	Medium	20	75	Warm White	900	8,000	5.87	12/24
05358	SLG20/G30/50K	Medium	20	75	Super White	900	8,000	5.87	12/24
05356	SLG20/G30/65K	Medium	20	75	Daylight	900	8,000	5.87	12/24
05360	SLG25/G30/27K	Medium	25	100	Warm White	1125	8,000	6.06	12/24
05321	SLG25/G30/50K	Medium	25	100	Super White	1125	8,000	6.06	12/24
05370	SLG25/G30/65K	Medium	25	100	Daylight	1125	8,000	6.06	12/24

GLOBE & TUBULAR G25, G30, G40 & T10

COMPACT FLUORESCENT



PANASONIC* STYLE LAMPS



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MDL	Pkg.	ES
05348	SLG9/E/G25/27K	Medium	9	40	Warm White	450	8,000	4.33	12/24	
05349	SLG14/E/G25/27K	Medium	14	60	Warm White	800	8,000	4.33	12/24	
05354	SLG16/G30/27K	Medium	16	60	Warm White	900	8,000	5.04	12/24	
05359	SLG23/G40/27K	Medium	23	100	Warm White	1300	8,000	6.30	12/24	

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MDL	Pkg.	ES
05295	SLT10/27K	Medium	7	25	Warm White	340	10,000	4.80	12/24	

SLC & SLM CHANDELIER

- Candelabra and Medium base
- Frosted white and clear cover available
- Available in Warm White and Daylight colors
- Lasts up to 10 times longer than incandescents
- Uses 75% less energy than standard incandescents
- Perfect for chandeliers



CANDELABRA BASE >>

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.	ES
05299	SLC7/E/27K	Candelabra	7	25	Warm White	340	10,000	4.69	12/24	
05292	SLC7/TW/27K	Candelabra	7	25	Warm White	280	8,000	4.72	12/24	
05290	SLC7/TW/30K	Candelabra	7	25	Warm White	280	8,000	4.72	12/24	
05265	SLC7/TW/27K/CD	Candelabra	7	25	Warm White	280	8,000	4.72	12/24	
65701	SLC14/TW/27K	Candelabra	14	60	Warm White	620	8,000	5.46	12/24	
65700	SLC14/TW/30K	Candelabra	14	60	Warm White	620	8,000	5.46	12/24	
65710	SLC14/TW/65K	Candelabra	14	60	Daylight	620	8,000	5.46	12/24	

MEDIUM BASE >>

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.	ES
05296	SLM7/E/27K	Medium	7	25	Warm White	340	10,000	4.80	12/24	
05281	SLM7/FC/27K/CD	Medium	7	25	Warm White	280	8,000	5.04	12/24	
05294	SLM7/FW/27K	Medium	7	25	Warm White	280	8,000	5.04	12/24	
05293	SLM7/TW/27K	Medium	7	25	Warm White	280	8,000	5.04	12/24	
05266	SLM7/TW/27K/CD	Medium	7	25	Warm White	280	8,000	5.04	12/24	
65751	SLM14/TW/27K	Medium	14	60	Warm White	620	8,000	5.62	12/24	
65750	SLM14/TW/30K	Medium	14	60	Warm White	620	8,000	5.62	12/24	
65760	SLM14/TW/65K	Medium	14	60	Daylight	620	8,000	5.62	12/24	

CD - Candel

SLB - A TYPE

9, 11, 14, 15 & 20 Watt

COMPACT FLUORESCENT



SLB BULBS - A TYPE

- Standard Medium base
- Concealed spiral with the same look as an incandescent A bulb
- Fits anywhere a standard bulb will fit
- Available in Warm White, Cool White, Daylight and yellow bug light colors
- Lasts up to 8 times longer than incandescents
- Uses 75% less energy than standard Incandescents
- Perfect for table lamps, floor lamps and all general lighting



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.	ES
05323	SLB9/30K/A15	Medium	9	40	Warm White	380	8,000	4.25	12/24	
05332	SLB9/65K/A15	Medium	9	40	Daylight	380	8,000	4.25	12/24	
05301	SLB11/27K	Medium	11	40	Warm White	450	8,000	5.71	24/48	
05300	SLB11/27K/CD	Medium	11	40	Warm White	450	8,000	5.71	12/24	
05307	SLB14/E/27K	Medium	14	60	Warm White	800	8,000	4.88	12/24	
05308	SLB14/E/41K	Medium	14	60	Cool White	800	8,000	4.88	12/24	
05309	SLB14/65K	Medium	14	60	Daylight	800	8,000	4.88	12/24	
05303	SLB15/27K	Medium	15	60	Warm White	670	8,000	6.02	24/48	
05302	SLB15/27K/CD	Medium	15	60	Warm White	670	8,000	6.02	12/24	
05304	SLB15/BUG	Medium	15	N/A	Yellow	N/A	8,000	6.02	24/48	
05305	SLB20/27K/CD	Medium	20	75	Warm White	900	8,000	6.02	12/24	
05306	SLB20/30K/8X	Medium	20	75	Warm White	900	8,000	6.02	24/48	

CD - Capped



SLR20



SLR30



REFLECTOR LAMPS - INDOOR FLOODS

- Standard Medium base
- Glare free sandblasted lens
- Available in Warm White, Cool White, Super White and Daylight colors
- Lasts up to 8 times longer than incandescents
- Uses 75% less energy than standard incandescents
- Perfect for track lighting and recessed cans



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOI	Pkg.	ES
05380	SL7R20/27K	Medium	7	20	Warm White	250	8,000	4.80	24/48	
05381	SL9R20/27K	Medium	9	30	Warm White	320	8,000	4.80	24/48	
05392	SL15R30/E/27K/D*	Medium	15	60	Warm White	680	8,000	6.10	12/24	
05395	SL15R30/30K	Medium	15	60	Warm White	600	8,000	5.76	12/24	
05383	SL15R30/41K	Medium	15	60	Cool White	600	8,000	5.76	12/24	
05375	SL15R30/50K	Medium	15	60	Super White	600	8,000	5.76	12/24	
05396	SL15R30/65K	Medium	15	60	Daylight	600	8,000	5.76	12/24	
05376	SL16R30/E/27K	Medium	16	75	Warm White	750	8,000	5.51	12/24	

* Dimmable

R40 - REFLECTORS

Indoor Floods

COMPACT FLUORESCENT



REFLECTOR LAMPS - INDOOR FLOODS

- Standard Medium base
- Glare free sandblasted lens
- Available in Warm White, Cool White, Super White and Daylight colors
- Lasts up to 8 times longer than incandescents
- Uses 75% less energy than standard incandescents
- Perfect for track lighting and recessed cans



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOI	Pkg	ES
05390	SL15R40/30K	Medium	35	60	Warm White	600	8,000	6.61	12/24	
05391	SL15R40/65K	Medium	35	60	Daylight	600	8,000	6.61	12/24	
05393	SL20R40/30K	Medium	20	75	Warm White	800	8,000	6.61	12/24	
05365	SL20R40/50K	Medium	20	75	Super White	800	8,000	6.61	12/24	
05394	SL20R40/65K	Medium	20	75	Daylight	800	8,000	6.61	12/24	
05386	SL23R40/E/27K	Medium	23	100	Warm White	1300	8,000	6.34	12/24	
05382	SL23R40/27K/D*	Medium	23	100	Warm White	1040	10,000	7.00	12/24	
05385	SL25R40/30K	Medium	25	100	Warm White	1050	8,000	7.00	12/24	
05387	SL25R40/41K	Medium	25	100	Cool White	1050	8,000	7.00	12/24	
05334	SL25R40/50K	Medium	25	100	Super White	1050	8,000	7.00	12/24	
05384	SL25R40/65K	Medium	25	100	Daylight	1050	8,000	7.00	12/24	

* Dimmable



PAR 20, 30 & 38 - OUTDOOR FLOODS

- Standard Medium base
- Perfect for recessed cans, track lights and outdoor fixtures
- Available in Warm White and Daylight colors
- Uses 75% less energy than standard incandescents
- Lasts up to 8 times longer than standard incandescents



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MDL	Pkg.	ES
05337	SL9PAR20/E/27K	Medium	9	40	Warm White	280	8,000	3.82	12/24	
05339	SL9PAR20/65K	Medium	9	40	Daylight	280	8,000	3.82	12/24	
05357	SL15PAR30/E/27K	Medium	15	60	Warm White	750	8,000	5.12	12/24	
05338	SL15PAR30/30K	Medium	15	60	Warm White	600	8,000	4.80	12/24	
05353	SL15PAR30/65K	Medium	15	60	Daylight	600	8,000	4.80	12/24	
05399	SL20PAR38/30K	Medium	20	75	Warm White	800	8,000	5.35	12/24	
05368	SL20PAR38/65K	Medium	20	75	Daylight	800	8,000	5.35	12/24	
05328	SL23PAR38/E/27K	Medium	23	100	Warm White	1300	8,000	5.55	12/24	
05329	SL23PAR38/30K	Medium	23	100	Warm White	1050	8,000	5.35	12/24	
05373	SL23PAR38/65K	Medium	23	100	Daylight	1050	8,000	5.35	12/24	

COLORED REFLECTORS PAR38 & R40

COMPACT FLUORESCENT

COLORED OUTDOOR REFLECTORS

- Standard Medium base
- Replaces incandescent PAR38
- Perfect for outdoor and indoor use
- Lasts up to 8 times longer than standard incandescents



PAR38/R



PAR38/B



PAR38/G



PAR38/Y

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.
05372	SL23PAR38/R	Medium	23	N/A	Red	N/A	8,000	5.35	12/24
05377	SL23PAR38/Y	Medium	23	N/A	Yellow	N/A	8,000	5.35	12/24
05367	SL23PAR38/G	Medium	23	N/A	Green	N/A	8,000	5.35	12/24
05362	SL23PAR38/B	Medium	23	N/A	Blue	N/A	8,000	5.35	12/24

COLORED INDOOR REFLECTORS

- Standard Medium base
- Replaces incandescent BR40
- Blue, Green, Pink, Red & Yellow colors
- Perfect for restaurants, clubs and seasonal lighting
- Lasts up to 8 times longer and uses 75% less energy than standard incandescents



SL25R40/B



SL25R40/G



SL25R40/R



SL25R40/P



SL25R40/Y

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.
05620	SL25R40/R	Medium	25	N/A	Red	N/A	8,000	7.00	12/24
05640	SL25R40/Y	Medium	25	N/A	Yellow	N/A	8,000	7.00	12/24
05610	SL25R40/G	Medium	25	N/A	Green	N/A	8,000	7.00	12/24
05600	SL25R40/B	Medium	25	N/A	Blue	N/A	8,000	7.00	12/24
05630	SL25R40/P	Medium	25	N/A	Pink	N/A	8,000	7.00	12/24



COLORED MINI SPIRALS

- Mini size
- Standard Medium base
- Available in Blue, Green, Red and Yellow colors
- Lasts up to 8 times longer and uses 75% less energy than standard incandescent bulbs
- Ideal for decorative and seasonal lighting; hotels, restaurants, clubs and bars



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.
05433	SM11/R	Medium	11	N/A	Red	N/A	8,000	4.84	24/48
05434	SM11/Y	Medium	11	N/A	Yellow	N/A	8,000	4.84	24/48
05432	SM11/G	Medium	11	N/A	Green	N/A	8,000	4.84	24/48
05431	SM11/B	Medium	11	N/A	Blue	N/A	8,000	4.84	24/48

SL - COLORED SPIRALS 20 & 24 Watt

COMPACT FLUORESCENT



COLORED SPIRALS

- Standard Medium base
- Available in Blue, Green, Red, Yellow and Blacklight colors
- Lasts up to 10 times longer and uses 75% less energy than standard incandescent bulbs
- Ideal for decorative and seasonal lighting; hotels, restaurants, clubs and bars



SL20/BLB



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.
05513	SL24/R	Medium	24	N/A	Red	N/A	8,000	5.75	24/48
00560	SL24/R/CD	Medium	24	N/A	Red	N/A	8,000	5.75	12/24
05514	SL24/Y	Medium	24	N/A	Yellow	N/A	8,000	5.75	24/48
00565	SL24/Y/CD	Medium	24	N/A	Yellow	N/A	8,000	5.75	12/24
05512	SL24/G	Medium	24	N/A	Green	N/A	8,000	5.75	24/48
00555	SL24/G/CD	Medium	24	N/A	Green	N/A	8,000	5.75	12/24
05511	SL24/B	Medium	24	N/A	Blue	N/A	8,000	5.75	24/48
00550	SL24/B/CD	Medium	24	N/A	Blue	N/A	8,000	5.75	12/24
05439	SL20/BLB	Medium	20	N/A	Black Light Blue	N/A	10,000	5.43	12/24

CD - Carded



SLG9/B



SLG9/G



SLG9/R



SLG9/P



SLG9/Y



COLORED GLOBES

- Standard Medium base
- Replaces incandescent globes
- Perfect for restaurants, clubs and seasonal lighting
- Available in Red, Yellow, Green, Blue & Pink
- Lasts up to 8 times longer and uses 75% less energy than standard incandescents

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOI	Pkg.
05670	SLG9/G21/R	Medium	9	N/A	Red	N/A	8,000	4.57	24/48
05690	SLG9/G21/Y	Medium	9	N/A	Yellow	N/A	8,000	4.57	24/48
05660	SLG9/G21/G	Medium	9	N/A	Green	N/A	8,000	4.57	24/48
05650	SLG9/G21/B	Medium	9	N/A	Blue	N/A	8,000	4.57	24/48
05680	SLG9/G21/P	Medium	9	N/A	Pink	N/A	8,000	4.57	24/48

3-WAY & FCA SPECIALTY Warm White & Daylight

COMPACT FLUORESCENT



3-WAY COMPACT FLUORESCENT

- Standard Medium base
- Fits anywhere a standard bulb is used.
- 3 light levels: 13, 20 and 25 watts
- Equal to 60-75-100 watts - 3-way
- Lasts up to 8 times longer and uses 75% less energy than standard incandescents



Item #	Description	Base	Watts	Eqv.	Color	Lumens	Hours	MOL	Pkg.	ES
05379	SL25E/3W/27K/CD	Medium	13/20/25	60/75/100	Warm White	900/1200/1600	8,000	6.06	12	

CD - Canded



FCA CIRCLINE

- Screw in self ballasted circline
- Standard Medium base
- Available in Warm White and Daylight
- Average Life 10,000
- 8 inch Diameter



Medium
Base



Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Dia.	Pkg.
05260	FCA27/27K	Medium	27	Warm White	1,500	80	10,000	8.00	6/12
05262	FCA27/65K	Medium	27	Daylight	1,300	80	10,000	8.00	6/12

GU10 LAMP

- GU10 base
- Direct fit into any GU10 socket
- Flood lens cover
- Lasts up to 8 times longer and uses 75% less energy than standard incandescents



Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.
05405	5M7/GU10/30K	GU10	7	25	Warm White	280	8,000	2.9	24/48
05465	5M7/GU10/65K	GU10	7	25	Daylight	280	8,000	2.9	24/48
05438	5M9/GU10/30K	GU10	9	35	Warm White	280	8,000	2.9	24/48
05466	5M9/GU10/65K	GU10	9	35	Daylight	280	8,000	2.9	24/48

**SB LAMP**

- Standard medium base
- Discount fluorescent bulb
- Perfect for discount stores
- Good for temporary lighting

Item #	Description	Base	Watts	Equiv.	Color	Lumens	CRI	Hours	MOL	Pkg.
05585	SB15/30K/CD1	Medium	15	60W	3000K	600	80	1,000	6.13	50
05590	SB18/30K/CD1	Medium	18	75W	3000K	750	80	1,000	6.75	50
05595	SB20/30K/CD1	Medium	20	75W	3000K	800	80	1,000	6.75	50

SLS - TRIPLE TUBE 15, 20 & 25 Watt

COMPACT FLUORESCENT

SLS TRIPLE TUBES

- Available in Warm White and Daylight colors
- Lasts up to 8 times longer and uses 75% less energy than incandescents
- Perfect for all general lighting



SLS15



SLS20



SLS25

Item #	Description	Base	Watts	Equv.	Color	Lumens	Hours	MOL	Pkg.
05230	SLS15/27K/CD	Medium	15	60	Warm White	825	8,000	5.50	12/24
05470	SLS15/65K	Medium	15	60	Daylight	825	8,000	5.50	24/48
05235	SLS15/65K/CD	Medium	15	60	Daylight	825	8,000	5.50	12/24
05480	SLS20/27K	Medium	20	75	Warm White	1100	8,000	6.10	24/48
05240	SLS20/27K/CD	Medium	20	75	Warm White	1100	8,000	6.10	12/24
05250	SLS25/27K/CD	Medium	25	100	Warm White	1350	8,000	6.77	12/24
05500	SLS25/30K	Medium	25	100	Warm White	1350	8,000	6.77	24/48
05510	SLS25/65K	Medium	25	100	Daylight	1350	8,000	6.77	24/48
05255	SLS25/65K/CD	Medium	25	100	Daylight	1350	8,000	6.77	12/24

CD - Capped

**PL LAMP**

- 2 pin G23 base
- Perfect for recessed cans, ceiling fixtures and wall sconces



Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Length	Pkg.
60000	PL5/SP27K	G23	5	2700K	210	80	10,000	4.20	50/200
60010	PL5/SP41K	G23	5	4100K	210	80	10,000	4.20	50/200
60020	PL7/SP27K	G23	7	2700K	360	80	10,000	5.30	50/200
60025	PL7/SP35K	G23	7	3500K	360	80	10,000	5.30	50/200
60030	PL7/SP41K	G23	7	4100K	360	80	10,000	5.30	50/200
60040	PL9/SP27K	G23	9	2700K	530	80	10,000	6.50	50/200
60045	PL9/SP30K	G23	9	3000K	530	80	10,000	6.50	50/200
60050	PL9/SP35K	G23	9	3500K	530	80	10,000	6.50	50/200
60060	PL9/SP41K	G23	9	4100K	530	80	10,000	6.50	50/200

PL - SINGLE TUBE 2 Pin and 4 Pin

COMPACT FLUORESCENT

PL LAMP

- 2-Pin or 4-Pin
- Perfect for general lighting & ceiling fixtures
- Now also available in 50K & 65K Kelvin temperatures



Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Length	Pkg.
60070	PL13/SP27K	GX23	13	2700K	720	80	10,000	7.10	50/200
60075	PL13/SP30K	GX23	13	3000K	720	80	10,000	7.10	50/200
60080	PL13/SP35K	GX23	13	3500K	720	80	10,000	7.10	50/200
60090	PL13/SP41K	GX23	13	4100K	720	80	10,000	7.10	50/200
60095	PL13/SP50K	GX23	13	5000K	720	80	10,000	7.10	50/200
60096	PL13/SP65K	GX23	13	6500K	720	80	10,000	7.10	50/200

Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Length	Pkg.
60003	PL13/E/SP27K	2GX7 4-Pin	13	2700K	720	80	10,000	6.20	50/200
60005	PL13/E/SP30K	2GX7 4-Pin	13	3000K	720	80	10,000	6.20	50/200
60007	PL13/E/SP35K	2GX7 4-Pin	13	3500K	720	80	10,000	6.20	50/200
60013	PL13/E/SP41K	2GX7 4-Pin	13	4100K	720	80	10,000	6.20	50/200

PLD LAMP

- Double Tube - 2 Pin
- Perfect for general lighting and recessed fixtures
- Now also available in 50K & 65K Kelvin temperatures



PLD9

PLD13



PLD18

PLD26



Item #	Description	Base	Watts	Color	Lumens	CR	Hours	Length	Pkg.
60310	PLD9/SP27K	G23-2	9	2700K	525	80	10,000	4.20	25/100
60313	PLD9/SP30K	G23-2	9	3000K	525	80	10,000	4.20	25/100
60315	PLD9/SP35K	G23-2	9	3500K	525	80	10,000	4.20	25/100
60320	PLD9/SP41K	G23-2	9	4100K	525	80	10,000	4.20	25/100
60130	PLD13/SP27K	GX23-2	13	2700K	660	80	10,000	4.60	25/100
60135	PLD13/SP30K	GX23-2	13	3000K	660	80	10,000	4.60	25/100
60140	PLD13/SP35K	GX23-2	13	3500K	660	80	10,000	4.60	25/100
60150	PLD13/SP41K	GX23-2	13	4100K	660	80	10,000	4.60	25/100
60151	PLD13/SP50K	GX23-2	13	5000K	660	80	10,000	4.60	25/100
60152	PLD13/SP65K	GX23-2	13	6500K	660	80	10,000	4.60	25/100
60190	PLD18/SP27K	G24D-2	18	2700K	1080	80	10,000	6.00	25/100
60195	PLD18/SP30K	G24D-2	18	3000K	1080	80	10,000	6.00	25/100
60200	PLD18/SP35K	G24D-2	18	3500K	1080	80	10,000	6.00	25/100
60210	PLD18/SP41K	G24D-2	18	4100K	1080	80	10,000	6.00	25/100
60211	PLD18/SP50K	G24D-2	18	5000K	1080	80	10,000	6.00	25/100
60212	PLD18/SP65K	G24D-2	18	6500K	1080	80	10,000	6.00	25/100
60250	PLD26/SP27K	G24D-3	26	2700K	1560	80	10,000	6.80	25/100
60255	PLD26/SP30K	G24D-3	26	3000K	1560	80	10,000	6.80	25/100
60260	PLD26/SP35K	G24D-3	26	3500K	1560	80	10,000	6.80	25/100
60270	PLD26/SP41K	G24D-3	26	4100K	1560	80	10,000	6.80	25/100
60271	PLD26/SP50K	G24D-3	26	5000K	1560	80	10,000	6.80	25/100
60272	PLD26/SP65K	G24D-3	26	6500K	1560	80	10,000	6.80	25/100

PLD - DOUBLE TUBE QUAD - 4 PIN

13, 18 & 26 Watt

COMPACT FLUORESCENT

PLD LAMP

- Double tube - Electronic 4-Pin
- Perfect for general lighting and recessed fixtures
- Now also available in 50K & 65K Kelvin temperatures



PLD13/E



PLD18/E



PLD26/E

Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Length	Pkg.
60100	PLD13/E/SP27K	G24Q-1	13	2700K	780	80	10,000	5.20	25/100
60105	PLD13/E/SP30K	G24Q-1	13	3000K	780	80	10,000	5.20	25/100
60110	PLD13/E/SP35K	G24Q-1	13	3500K	780	80	10,000	5.20	25/100
60120	PLD13/E/SP41K	G24Q-1	13	4100K	780	80	10,000	5.20	25/100
60121	PLD13/E/SP50K	G24Q-1	13	5000K	780	80	10,000	5.20	25/100
60122	PLD13/E/SP65K	G24Q-1	13	6500K	780	80	10,000	5.20	25/100
60160	PLD18/E/SP27K	G24Q-1	18	2700K	1080	80	10,000	5.80	25/100
60165	PLD18/E/SP30K	G24Q-1	18	3000K	1080	80	10,000	5.80	25/100
60170	PLD18/E/SP35K	G24Q-1	18	3500K	1080	80	10,000	5.80	25/100
60180	PLD18/E/SP41K	G24Q-1	18	4100K	1080	80	10,000	5.80	25/100
60181	PLD18/E/SP50K	G24Q-1	18	5000K	1080	80	10,000	5.80	25/100
60182	PLD18/E/SP65K	G24Q-1	18	6500K	1080	80	10,000	5.80	25/100
60220	PLD26/E/SP27K	G24Q-3	26	2700K	1560	80	10,000	6.50	25/100
60225	PLD26/E/SP30K	G24Q-3	26	3000K	1560	80	10,000	6.50	25/100
60230	PLD26/E/SP35K	G24Q-3	26	3500K	1560	80	10,000	6.50	25/100
60240	PLD26/E/SP41K	G24Q-3	26	4100K	1560	80	10,000	6.50	25/100
60241	PLD26/E/SP50K	G24Q-3	26	5000K	1560	80	10,000	6.50	25/100
60242	PLD26/E/SP65K	G24Q-3	26	6500K	1560	80	10,000	6.50	25/100

PLT LAMP

- Triple tube - Electronic 4-Pin
- Available in six colors
- Perfect for general lighting and recessed fixtures
- 18, 26, 32 and 42 watt
- Now also available in 50K & 65K Kelvin temperatures



PLT18




PLT26

Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Length	Pkg.
60500	PLT18/E/SP27K	GX24Q-2	18	2700K	1200	80	10,000	4.60	25/100
60505	PLT18/E/SP30K	GX24Q-2	18	3000K	1200	80	10,000	4.60	25/100
60510	PLT18/E/SP35K	GX24Q-2	18	3500K	1200	80	10,000	4.60	25/100
60515	PLT18/E/SP41K	GX24Q-2	18	4100K	1200	80	10,000	4.60	25/100
60520	PLT26/E/SP27K	GX24Q-3	26	2700K	1800	80	10,000	5.20	25/100
60525	PLT26/E/SP30K	GX24Q-3	26	3000K	1800	80	10,000	5.20	25/100
60530	PLT26/E/SP35K	GX24Q-3	26	3500K	1800	80	10,000	5.20	25/100
60535	PLT26/E/SP41K	GX24Q-3	26	4100K	1800	80	10,000	5.20	25/100
60536	PLT26/E/SP50K	GX24Q-3	26	5000K	1800	80	10,000	5.20	25/100
60537	PLT26/E/SP65K	GX24Q-3	26	6500K	1800	80	10,000	5.20	25/100

PLT - TRIPLE TUBE - 4 PIN 32 & 42 Watt

COMPACT FLUORESCENT



Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Length	Pkg
60540	PLT32/E/SP27K	GX24Q-3	32	2700K	2400	80	10,000	5.80	25/100
60545	PLT32/E/SP30K	GX24Q-3	32	3000K	2400	80	10,000	5.80	25/100
60550	PLT32/E/SP35K	GX24Q-3	32	3500K	2400	80	10,000	5.80	25/100
60555	PLT32/E/SP41K	GX24Q-3	32	4100K	2400	80	10,000	5.80	25/100
60556	PLT32/E/SP50K	GX24Q-3	32	5000K	2400	80	10,000	5.80	25/100
60557	PLT32/E/SP65K	GX24Q-3	32	6500K	2400	80	10,000	5.80	25/100
60560	PLT42/E/SP27K	GX24Q-4	42	2700K	3200	80	10,000	6.50	25/100
60565	PLT42/E/SP30K	GX24Q-4	42	3000K	3200	80	10,000	6.50	25/100
60570	PLT42/E/SP35K	GX24Q-4	42	3500K	3200	80	10,000	6.50	25/100
60575	PLT42/E/SP41K	GX24Q-4	42	4100K	3200	80	10,000	6.50	25/100
60576	PLT42/E/SP50K	GX24Q-4	42	5000K	3200	80	10,000	6.50	25/100
60577	PLT42/E/SP65K	GX24Q-4	42	6500K	3200	80	10,000	6.50	25/100

**COLORED PL LAMP**


- 9 & 13 Watts
- 2 pin G23 and GX23 base
- Available in blue, green, red and yellow bug
- Lasts up to 10,000 hours

Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	MOL	Pkg.
60300	PL9/R	G23	9	Red	N/A	N/A	10,000	6.50	50/200
60305	PL9/Y (Bug)	G23	9	Yellow	N/A	N/A	10,000	6.50	50/200
60290	PL9/G	G23	9	Green	N/A	N/A	10,000	6.50	50/200
60280	PL9/B	G23	9	Blue	N/A	N/A	10,000	6.50	50/200
60097	PL13/Y (Bug)	GX23	13	Yellow	N/A	N/A	10,000	7.10	50/200

FUL - BUG LAMPS

T6, T8 & T10

COMPACT FLUORESCENT



Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Length	Pkg.
05090	FUL8T6/CW	4 Pin	8	Cool White	350	80	5,000	5.75	10/120
05145	FUL8T6/BL	4 Pin	8	Blacklight	N/A	N/A	5,000	5.75	10/120
05100	FUL12T6/CW	4 Pin	12	Cool White	505	80	5,000	6.20	10/120
05150	FUL12T6/BL	4 Pin	12	Blacklight	N/A	N/A	5,000	6.20	10/120
05110	FUL13T6/CW	4 Pin	13	Cool White	505	80	5,000	7.85	10/120
05155	FUL15T6/BL	4 Pin	15	Blacklight	N/A	N/A	5,000	7.85	10/120
05130	FUL18T6/CW	4 Pin	18	Cool White	975	80	5,000	9.00	10/120
05160	FUL18T6/BL	4 Pin	18	Blacklight	N/A	N/A	5,000	9.00	10/120
05140	FUL25T6/WW	4 Pin	25	Warm White	1220	80	5,000	9.45	10/120
05165	FUL25T8/BL	4 Pin	25	Blacklight	N/A	N/A	5,000	9.13	10/120
05170	FUL40T8/BL	4 Pin	40	Blacklight	N/A	N/A	5,000	12.00	10/120
05175	FUL40T10/BL	4 Pin	40	Blacklight	N/A	N/A	5,000	11.85	10/120
05180	FUL50T10/BL	4 Pin	50	Blacklight	N/A	N/A	5,000	14.60	10/120

FDL & FML LAMP

- 22, 27 & 28 Watt
- 3000K & 5000K
- 80 CRI
- Same style as Panasonic® Lamps



FDL/22W



FDL/28W



FML/27W



Base



Base



Base

Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Length	Pkg.
05750	FDL22/30K	GX320-2	22	3000K	1050	82	10,000	6.20	12/24
05755	FDL22/50K	GX320-2	22	5000K	1050	82	10,000	6.20	12/24
05760	FDL28/30K	GX320-3	28	3000K	1350	82	10,000	6.65	12/24
05765	FDL28/50K	GX320-3	28	5000K	1350	82	10,000	6.65	12/24
05770	FML27/30K/CD1	GX320Q-4	27	3000K	1500	82	10,000	5.70	12/24

CD - Canded


FT - PLL-BIAX

18, 24, 36, 40 and 50 Watt

COMPACT FLUORESCENT

FT LAMP

- Used in lay-in fixtures
- RS = Rapid Start
- 3000K, 3500K and 4100K
- 80 CRI



Item #	Description	Base	Watts	Color	Lumens	CRI	Hours	Length	Pkg
02165	FT18DL/830	2G11	18	3000K	1200	80	10,000	9.00	10/40
02170	FT18DL/835	2G11	18	3500K	1200	80	10,000	9.00	10/40
02175	FT18DL/841	2G11	18	4100K	1200	80	10,000	9.00	10/40
02180	FT24DL/830	2G11	24	3000K	1800	80	10,000	12.80	10/40
02185	FT24DL/835	2G11	24	3500K	1800	80	10,000	12.80	10/40
02190	FT24DL/841	2G11	24	4100K	1800	80	10,000	12.80	10/40
02115	FT36DL/830	2G11	36	3000K	2900	80	10,000	16.50	10/40
02120	FT36DL/835	2G11	36	3500K	2900	80	10,000	16.50	10/40
02125	FT36DL/841	2G11	36	4100K	2900	80	10,000	16.50	10/40
02130	FT40DL/830/RS	2G11	40	3000K	3150	80	10,000	22.50	10/40
02135	FT40DL/835/RS	2G11	40	3500K	3150	80	10,000	22.50	10/40
02140	FT40DL/841/RS	2G11	40	4100K	3150	80	10,000	22.50	10/40
02100	FT50DL/830	2G11	50	3000K	4200	80	10,000	22.50	10/40
02105	FT50DL/835	2G11	50	3500K	4200	80	10,000	22.50	10/40
02110	FT50DL/841	2G11	50	4100K	4200	80	10,000	22.50	10/40