

SL - HIGH WATTAGE SPIRALS

32 & 42 Watt

COMPACT FLUORESCENT

SL HIGH WATTAGE SPIRALS

- High wattage
- Compact size compared to other high wattage lamps
- Lasts up to 10 times longer and uses 75% less energy than standard incandescent bulbs
- Available in Warm White & Daylight colors
- Replaces 150 watt incandescent bulbs



SL32



SL42

Item #	Description	Base	Watts	Equiv.	Color	Lumens	Hours	MOL	Pkg.	ES
05591	SL32/30K	Medium	32	150	Warm White	1900	10,000	6.65	24/48	
05586	SL32/65K	Medium	32	150	Daylight	1900	10,000	6.65	24/48	
05596	SL42/E/27K	Medium	42	150	Warm White	2800	12,000	7.00	24/48	
05597	SL42/65K	Medium	42	150	Daylight	2800	12,000	7.00	24/48	



SL HIGH WATTAGE SPIRALS

- Available in Medium and Mogul bases
- Available in Warm White, Cool White, Super White and Daylight colors
- Lasts up to 8 times longer and uses 75% less energy than standard incandescent bulbs
- Available in 120 Volts and 277 Volts
- Replaces 200W, 300W, 350W, 400W incandescent.
- Can be used for hydroponics applications



Item #	Description	Base	Watts	Equiv.	Volt	Color	Lumens	Hours	MOL	Pkg.
05574	SL45/30K/MED/120V	Medium	45	200	120	Warm White	2300	8,000	8.86	6/12
05575	SL45/65K/MED/120V	Medium	45	200	120	Daylight	2300	8,000	8.86	6/12
05576	SL45/65K/MOG/120V	Mogul	45	200	120	Daylight	2300	8,000	9.45	6/12
05579	SL65/30K/MED/120V	Medium	65	300	120	Warm White	3400	8,000	9.65	6/12
05515	SL65/41K/MED/120V	Medium	65	300	120	Cool White	3400	8,000	9.65	6/12
05517	SL65/50K/MED/120V	Medium	65	300	120	Super White	3400	8,000	9.65	6/12
05577	SL65/65K/MED/120V	Medium	65	300	120	Daylight	3400	8,000	9.65	6/12
05578	SL65/65K/MOG/120V	Mogul	65	300	120	Daylight	3400	8,000	10.24	6/12
05581	SL85/30K/MED/120V	Medium	85	350	120	Warm White	4200	8,000	10.24	6/12
05584	SL85/30K/MOG/120V	Mogul	85	350	120	Warm White	4200	8,000	10.83	6/12
05529	SL85/30K/MED/277V	Medium	85	350	277	Warm White	4200	8,000	10.24	6/12
05519	SL85/41K/MED/120V	Medium	85	350	120	Cool White	4200	8,000	10.24	6/12

SL - HIGH WATTAGE SPIRALS

85 & 105 Watt

COMPACT FLUORESCENT



Item #	Description	Base	Watts	Equip.	Volt	Color	Lumens	Hours	MOI	Pkg.
05533	SL85/41K/MED/277V	Medium	85	350	277	Cool White	4200	8,000	10.24	6/12
05523	SL85/50K/MED/120V	Medium	85	350	120	Super White	4200	8,000	10.24	6/12
05580	SL85/65K/MED/120V	Medium	85	350	120	Daylight	4200	8,000	10.24	6/12
05598	SL85/65K/MOG/120V	Mogul	85	350	120	Daylight	4200	8,000	10.83	6/12
05535	SL85/65K/MED/277V	Medium	85	350	277	Daylight	4200	8,000	10.24	6/12
05588	SL105/30K/MED/120V	Medium	105	400	120	Warm White	5000	8,000	11.00	6/12
05552	SL105/30K/MOG/120V	Mogul	105	400	120	Warm White	5000	8,000	11.60	6/12
05544	SL105/30K/MOG/277V	Mogul	105	400	277	Warm White	5000	8,000	11.60	6/12
05525	SL105/41K/MED/120V	Medium	105	400	120	Cool White	5000	8,000	11.00	6/12
05557	SL105/41K/MOG/120V	Mogul	105	400	120	Cool White	5000	8,000	11.60	6/12
05542	SL105 41K/MED/277V	Medium	105	400	277	Cool White	5000	8,000	11.00	6/12
05563	SL105/41K/MOG/277V	Mogul	105	400	277	Cool White	5000	8,000	11.60	6/12
05527	SL105/50K/MED/120V	Medium	105	400	120	Super White	5000	8,000	11.00	6/12
05593	SL105/65K/MED/120V	Medium	105	400	120	Daylight	5000	8,000	11.00	6/12
05559	SL105/65K/MOG/120V	Mogul	105	400	120	Daylight	5000	8,000	11.60	6/12
05567	SL105/65K/MOG/277V	Mogul	105	400	277	Daylight	5000	8,000	11.60	6/12