



UP CARRIAGE STYLE

ODI1090 • 47090

Carriage Style Wall Mount Outdoor Up Fixture
Black Powder Finish • Clear Beveled Glass

16.4" (H) • 6.3" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*

12 Pack

ODI1100 • 47100

Carriage Style Wall Mount Outdoor Up Fixture
White Powder Finish • Clear Beveled Glass

16.4" (H) • 6.3" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*

12 Pack



UP POST STYLE

ODI1130 • 47130

Post Style Wall Mount Outdoor Up Fixture
Black Powder Finish • Clear Beveled Glass

16.4" (H) • 6.3" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*

12 Pack

ODI1140 • 47140

Post Style Wall Mount Outdoor Up Fixture
White Powder Finish • Clear Beveled Glass

16.4" (H) • 6.3" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*

12 Pack



DOWN CARRIAGE STYLE

ODI1070 • 47070

Carriage Style Wall Mount Outdoor Down Fixture
Black Powder Finish • Clear Beveled Glass

16.4" (H) • 6.3" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*

12 Pack

ODI1080 • 47080

Carriage Style Wall Mount Outdoor Down Fixture
White Powder Finish • Clear Beveled Glass

16.4" (H) • 6.3" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*

12 Pack



DOWN POST STYLE

ODI1110 • 47110

Post Style Wall Mount Outdoor Down Fixture
Black Powder Finish • Clear Beveled Glass

16.4" (H) • 6.3" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*

12 Pack

ODI1120 • 47120

Post Style Wall Mount Outdoor Down Fixture
White Powder Finish • Clear Beveled Glass

16.4" (H) • 6.3" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*

12 Pack



DECORATIVE OUTDOOR FIXTURES

POST, PORCH, OVAL & JAR STYLE



POST MOUNT

ODI1150 • 47150

Light Post Outdoor Fixture
Black Powder Finish • Clear Beveled Glass
15" (H) • 5.9" (W) • 120 Volt
Uses One 60W A19 or Equivalent CFL*
12 Pack

ODI1160 • 47160

Light Post Outdoor Fixture
White Powder Finish • Clear Beveled Glass
15" (H) • 5.9" (W) • 120 Volt
Uses One 60W A19 or Equivalent CFL*
12 Pack




PORCH LIGHT STYLE

ODI1095 • 47095

Porch Ceiling Mount Outdoor Fixture
Black Powder Finish • Frosted Glass
5" (H) • 9.3" (W) • 120 Volt
Uses One 60W A19 or Equivalent CFL*
12 Pack

ODI1096 • 47096

Porch Ceiling Mount Outdoor Fixture
White Powder Finish • Frosted Glass
5" (H) • 9.3" (W) • 120 Volt
Uses One 60W A19 or Equivalent CFL*
12 Pack



OVAL STYLE

ODI1020 • 47020

Oval Wall Mount Outdoor Fixture
Black Powder Finish • Frosted Glass
4.1" (H) • 8.7" (W) • 120 Volt
Uses One 60W A19 or Equivalent CFL*
12 Pack

ODI1030 • 47030

Oval Wall Mount Outdoor Fixture
White Powder Finish • Frosted Glass
4.1" (H) • 8.7" (W) • 120 Volt
Uses One 60W A19 or Equivalent CFL*
12 Pack




JAR STYLE

ODI1040 • 47040

Jar Wall Mount Outdoor Fixture
Black Finish • Clear Glass
7.3" (H) • 3.9" (W) • 120 Volt
Uses One 60W A19 or Equivalent CFL*
12 Pack

ODI1050 • 47050

Jar Wall Mount Outdoor Fixture
White Finish • Clear Glass
7.3" (H) • 3.9" (W) • 120 Volt
Uses One 60W A19 or Equivalent CFL*
12 Pack



GLOBE STYLE

ODI1000 • 47000

Black Finish • White Glass

7" (H) • 5.9" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*
12 Pack

ODI1010 • 47010

White Finish • White Glass

7" (H) • 5.9" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*
12 Pack



JAR STYLE

ODI1060 • 47060

Black Finish • White Glass

6.5" (H) • 4.2" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*
12 Pack

ODI1065 • 47065


White Finish • White Glass

6.5" (H) • 4.2" (W) • 120 Volt

Uses One 60W A19 or Equivalent CFL*
12 Pack



ENERGY SAVING GLOBE



ENERGY SAVING JAR




ODF1000 • 48000

Black Finish • White Lens

8" (H) • 7" (W) • 120 Volt • On/Off Switch

Uses One 13 Watt CFL Lamp (Included)
12 Pack



GREAT
new
ITEM

ODF1041 • 48041

Black Finish • Acrylic Lens

8.3" (H) • 5" (W) • 120 Volt • On/Off Switch

Uses One 13 Watt GU24 CFL Lamp (Included)
12 Pack




ODF1010 • 48020

White Finish • White Lens

8" (H) • 7" (W) • 120 Volt • On/Off Switch

Uses One 13 Watt CFL Lamp (Included)
12 Pack



ODF1050 • 48060

White Finish • Acrylic Lens

8.3" (H) • 5" (W) • 120 Volt • On/Off Switch

Uses One 13 Watt CFL Lamp (Included)
12 Pack



ODF1005 • 48010

Black Finish • White Lens

8" (H) • 7" (W) • 120 Volt • Photocontrol

Uses One 13 Watt CFL Lamp (Included)
12 Pack




ODF1055 • 48070

White Finish • Acrylic Lens

8.3" (H) • 5" (W) • 120 Volt • Photocontrol

Uses One 13 Watt CFL Lamp (Included)
12 Pack



ODF1015 • 48030

White Finish • White Lens

8" (H) • 7" (W) • 120 Volt • Photocontrol


Uses One 13 Watt CFL Lamp (Included)
12 Pack





INDUSTRIAL OUTDOOR FIXTURES


VAPORPROOF & FLOODLIGHT



CEILING MOUNT

A. VT100 • 04900
Metallic Finish • Clear Glass
Waterproof & Dustproof Seal
11.5" (H) • 5.5" (W) • 120 Volt
Uses One 150W or Equivalent CFL*
6 Pack


B. VT200 • 04901
Metallic Finish • Clear Glass
Waterproof & Dustproof Seal
12" (H) • 5.5" (W) • 120 Volt
Uses One 200W or Equivalent CFL*
6 Pack



WALL MOUNT


C. VTA100 • 04902
Metallic Finish • Clear Glass
Waterproof & Dustproof Seal
9.7" (H) • 4.3" (W) • 7.4" (D) • 120 Volt
Uses One 150W or Equivalent CFL*
6 Pack

D. VTA200 • 04903
Metallic Finish • Clear Glass
Waterproof & Dustproof Seal
11.7" (H) • 5.5" (W) • 120 Volt
Uses One 200W or Equivalent CFL*
6 Pack



PAR FLOODLIGHT

PL2H/B • 04913
Black Finish • Floodlight
4.3" (H) • 8.5" (W) • 120 Volt
Uses PAR38 or Equivalent CFL*
12 Pack



PL2H/WH • 04918
White Finish • Floodlight
4.3" (H) • 8.5" (W) • 120 Volt
Uses PAR38 or Equivalent CFL*
12 Pack



FEATURES AND BENEFITS

- Die cast bronze aluminum housing
- A silicone gasket for weatherproof & dustproof seal
- Anodized aluminum reflector and high impact polycarbonate diffuser for optimum light distribution
- Wall mounts directly over standard 4" outlet box
- UL listed for wet and damp locations
- 120 Volt
- Bulbs Included

APPLICATIONS

Alleys, Security, Tunnels, Overpasses, Loading Docks, Waterfronts, Parks and other Recreation Areas, Indoor Parking Garages, Walkways, Accent and Perimeter Lighting, Entranceways.

HIGH PRESSURE SODIUM



WPS70HPS/PC • 04931

Clear High Impact Polycarbonate Lens
Bronze Powder Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
8.9" (H) • 8.5" (W) • 7.1" (D) • 120 Volt
Uses One LU70/MED HPS Lamp (Included)
4 Pack



WPS100HPS/PC • 04926

Clear High Impact Polycarbonate Lens
Bronze Powder Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
8.9" (H) • 8.5" (W) • 7.1" (D) • 120 Volt
Uses One LU100/MED HPS Lamp (Included)
4 Pack

WPS70HPS • 04928

Clear High Impact Polycarbonate Lens
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
8.9" (H) • 8.5" (W) • 7.1" (D) • 120 Volt
Uses One LU70/MED HPS Lamp (Included)
4 Pack

WPS100HPS • 04933

Clear High Impact Polycarbonate Lens
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
8.9" (H) • 8.5" (W) • 7.1" (D) • 120 Volt
Uses One LU100/MED HPS Lamp (Included)
4 Pack

METAL HALIDE

WPS50MH • 04930

Clear High Impact Polycarbonate Lens
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
8.9" (H) • 8.5" (W) • 7.1" (D) • 120 Volt
Uses One MH50/MED MH Lamp (Included)
4 Pack

WPS70MH • 04923

Clear High Impact Polycarbonate Lens
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
8.9" (H) • 8.5" (W) • 7.1" (D) • 120 Volt
Uses One MH70/MED MH Lamp (Included)
4 Pack



INDUSTRIAL OUTDOOR FIXTURES


MEDIUM WALL PACKS

FEATURES AND BENEFITS

- Die cast bronze aluminum housing with hinged door frame
- A silicone gasket for weatherproof and dustproof seal
- Anodized aluminum reflector and high impact heat resistant borosilicate glass for optimum light distribution
- Wall mounts directly over standard 4" outlet box
- UL listed for wet and damp locations
- Multi Volt & 120 Volt
- Bulbs Included

APPLICATIONS

Alleys, Security, Tunnels, Overpasses, Loading Docks, Waterfronts, Parks and other Recreation Areas, Indoor Parking Garages, Walkways, Accent and Perimeter Lighting, Entranceways.



METAL HALIDE



WPM100MH/PC • 04936

Clear High Impact Borosilicate Glass
Bronze Powder Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
9" (H) • 14.3" (W) • 7.6" (D) • 120 Volt
Uses One MH100/MED MH Lamp (Included)
2 Pack



WPM150MH/PC • 04956

Clear High Impact Borosilicate Glass
Bronze Powder Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
9" (H) • 14.3" (W) • 7.6" (D) • Multi Volt
Uses One MH150/MED MH Lamp (Included)
2 Pack



WPM175MH/PC • 04938

Clear High Impact Borosilicate Glass
Bronze Powder Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
9" (H) • 14.3" (W) • 7.6" (D) • Multi Volt
Uses One MH175/MED/PS MH Lamp (Included)
2 Pack

WPM100MH • 04935

Clear High Impact Borosilicate Glass
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
9" (H) • 14.3" (W) • 7.6" (D) • 120 Volt
Uses One MH100/MED MH Lamp (Included)
2 Pack

WPM150MH • 04952

Clear High Impact Borosilicate Glass
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
9" (H) • 14.3" (W) • 7.6" (D) • 120 Volt
Uses One MH150/MED MH Lamp (Included)
2 Pack

WPM175MH • 04937

Clear High Impact Borosilicate Glass
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
9" (H) • 14.3" (W) • 7.6" (D) • Multi Volt
Uses One MH175/MED MH Lamp (Included)
2 Pack

HIGH PRESSURE SODIUM

WPM150HPS • 04947

Clear High Impact Borosilicate Glass
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
9" (H) • 14.3" (W) • 7.6" (D) • 120 Volt
Uses One LU150/MED HPS Lamp (Included)
2 Pack

OUTDOOR INDUSTRIAL OUTDOOR FIXTURES LARGE AND EXTRA LARGE WALL PACKS




FEATURES AND BENEFITS

- Die cast bronze aluminum housing with hinged door frame
- A silicone gasket for weatherproof and dustproof seal
- Anodized aluminum reflector and high impact heat resistant borosilicate glass for optimum light distribution
- Wall mounts directly over standard 4" outlet box
- UL listed for wet and damp locations
- Multi Volt
- Bulbs Included

APPLICATIONS

Alleys, Security, Tunnels, Overpasses, Loading Docks, Waterfronts, Parks and other Recreation Areas, Indoor Parking Garages, Walkways, Accent and Perimeter Lighting, Entranceways.



LARGE WALL PACK



WPL250MH/PS • 04941

Clear High Impact Borosilicate Glass
Bronze Powder Finish • Pulse Start

Waterproof & Dustproof Silicone Seal
9" (H) • 18.1" (W) • 9.5" (D) • Multi Volt
Uses One MH250/PS MH Lamp (Included)
1 Pack

WPL250HPS • 04942

Clear High Impact Borosilicate Glass
Bronze Powder Finish


Waterproof & Dustproof Silicone Seal
9" (H) • 18.1" (W) • 9.5" (D) • Multi Volt
Uses One LU250 HPS Lamp (Included)
1 Pack

FEATURES AND BENEFITS

- Die cast black aluminum housing with hinged door frame
- A silicone gasket for weatherproof and dustproof seal
- Anodized aluminum reflector and high impact heat resistant borosilicate glass for optimum light distribution
- Wall mounts directly over standard 4" outlet box
- UL listed for wet and damp locations
- Multi Volt
- Bulbs Included

APPLICATIONS

Alleys, Security, Tunnels, Overpasses, Loading Docks, Waterfronts, Parks and other Recreation Areas, Indoor Parking Garages, Walkways, Accent and Perimeter Lighting, Entranceways.



X-LARGE WALL PACK



WPXL400MH/PS • 04958

Clear High Impact Borosilicate Glass
Bronze Powder Finish • Pulse Start

Waterproof & Dustproof Silicone Seal
9" (H) • 18.1" (W) • 13" (D) • Multi Volt
Uses One MH400/PS MH Lamp (Included)
1 Pack

WPXL400HPS • 04945

Clear High Impact Borosilicate Glass
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
9" (H) • 18.1" (W) • 13" (D) • Multi Volt
Uses One LU400 HPS Lamp (Included)
1 Pack



INDUSTRIAL OUTDOOR FIXTURES TALL PACKS

FEATURES AND BENEFITS

- Die cast back plate with white powder paint finish
- high impact polycarbonate lens and housing
- A silicone gasket for weatherproof and dustproof seal
- Anodized aluminum reflector
- Wall mounts directly over standard 4" outlet box
- UL listed for wet and damp locations
- 120 Volt
- Bulbs Included



TPS35/PC • 04905

Clear High Impact Polycarbonate Lens
Dark Bronze Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
11" (H) • 6.9" (W) • 5.25" (D) • 120 Volt
Uses One LU35 HPS Lamp (Included)
6 Pack



TPS50/PC • 04911

Clear High Impact Polycarbonate Lens
Dark Bronze Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
11" (H) • 6.9" (W) • 5.25" (D) • 120 Volt
Uses One LU50 HPS Lamp (Included)
6 Pack



TPS70/PC • 04916

Clear High Impact Polycarbonate Lens
Dark Bronze Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
11" (H) • 6.9" (W) • 5.25" (D) • 120 Volt
Uses One LU70 HPS Lamp (Included)
6 Pack



TPF42/PC • 04924


Clear High Impact Polycarbonate Lens
Dark Bronze Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
11" (H) • 6.9" (W) • 5.25" (D) • 120/277 Volt
Uses One 42 Watt CFL Lamp (Included)
6 Pack



APPLICATIONS

Alleys, Security, Tunnels, Overpasses, Loading Docks, Waterfronts, Parks and other Recreation Areas, Indoor Parking Garages, Walkways, Accent and Perimeter Lighting, Entranceways.



GREAT
new
ITEM



TPFR26/PC • 04922

Clear High Impact Polycarbonate Lens
Bronze Powder Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
12.25" (H) • 5.3" (W) • 3.1" (D) • 120 Volt
Uses Two 13 Watt CFL Lamps Included
6 Pack



TPF26/PC • 04920


Clear High Impact Polycarbonate Lens
Dark Bronze Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
12.25" (H) • 5.3" (W) • 2.4" (D) • 120 Volt
Uses Two 13 Watt CFL Lamps Included
12 Pack



**OUTDOOR
FIXTURES**

WWW.SOLOMONLIGHTING.ORG TEL: 212 255-4991 PAGE 29



FEATURES AND BENEFITS

- Energy Saving
- Die cast bronze aluminum housing with hinged door frame
- A silicone gasket for weatherproof and dal
- Anodized aluminum reflector and high impact heat resistant tempered glass for optimum light distribution
- Wall mounts directly over standard 4" outlet box
 - UL listed for wet and damp locations
 - Multi Volt
- Compact Fluorescent bulbs included

APPLICATIONS

Alleys, Security, Tunnels, Overpasses, Loading Docks, Waterfronts, Parks and other Recreation Areas, Indoor Parking Garages, Walkways, Accent and Perimeter Lighting, Entranceways.

MEDIUM WALL PACK



WPMF42/MV • 04932
Clear High Impact Tempered Glass
Bronze Powder Finish

9.6" (H) • 8.5" (W) • 7.3" (D) • Multi Volt
Uses One 42 Watt CFL Lamps Included
2 Pack



GREAT
new
ITEMS

FEATURES AND BENEFITS

- Energy Saving
- Die cast dark bronze aluminum housing with hinged door frame
- A silicone gasket for weatherproof and dustproof seal
- Anodized aluminum reflector and high impact heat resistant tempered glass for optimum light distribution
- Wall mounts directly over standard 4" outlet box
- UL listed for wet and damp locations
- Multi Volt
- Compact Fluorescent bulbs included

APPLICATIONS

Alleys, Security, Tunnels, Overpasses, Loading Docks, Waterfronts, Parks and other Recreation Areas, Indoor Parking Garages, Walkways, Accent and Perimeter Lighting, Entranceways.



LARGE WALL PACK



WPLF242/MV • 04943
Clear High Impact Tempered Glass
Dark Bronze Powder Finish

9" (H) • 14.4" (W) • 8.4" (D) • Multi Volt
Uses Two 42 Watt CFL Lamps Included
2 Pack





INDUSTRIAL OUTDOOR FIXTURES

DUAL DIRECTIONAL & CUT OFF

GREAT
new
ITEMS



CUT OFF STYLE

WPM100S/CO • 04927

Clear High Impact Tempered Glass
Bronze Powder Finish • Cut Off Style

Waterproof & Dustproof Silicone Seal
7.5" (H) • 11.4" (W) • 6.25" (D) • 120 Volt
Uses One LU100 HPS Lamp (Included)
2 Pack



WPMF242/CO • 04925

Clear High Impact Tempered Glass
Bronze Powder Finish • Cut Off Style

Waterproof & Dustproof Silicone Seal
7.5" (H) • 11.4" (W) • 6.25" (D) • 120/277 Volt
Uses Two 42 Watt CFL Lamps Included
2 Pack




DUAL DIRECTIONAL HALF MOON SCENCE



WMHMF42/PC • 04946

Clear High Impact Tempered Glass
Bronze Powder Finish • Photocontrol

Waterproof & Dustproof Silicone Seal
5.5" (H) • 14.6" (W) • 7.25" (D) • 120/277 Volt
Uses One 42 Watt CFL Lamp (Included)
2 Pack



DUAL DIRECTIONAL ACCENT SCENCE



WMF13UD/PC • 04948


Clear High Impact Tempered Glass
Black Powder Finish • Photocontrol

Energy Saving Dual Directional Up/Down Lighting
4" (H) • 10.9" (W) • 3.4" (D) • 120 Volt
Uses One 13 Watt CFL Lamp (Included)
6 Pack



**OUTDOOR
FIXTURES**

WWW.SOLOMONLIGHTING.ORG TEL: 212 255-4991 PAGE 31



A.



B.



C.

A. VANMS150 • 04912

Clear High Impact Polycarbonate Lens
Dark Bronze Finish

Waterproof & Dustproof Silicone Seal
 12.4" (H) • 12.4" (W) • 8.9" (D) • 120 Volt
 Uses One LU150 HPS Lamp (Included)
 2 Pack



VANMM175/PS • 04919

Clear High Impact Polycarbonate Lens
Dark Bronze Finish • Pulse Start

Waterproof & Dustproof Silicone Seal
 12.4" (H) • 12.4" (W) • 8.9" (D) • Multi Volt
 Uses One MH175/PS MH Lamp (Included)
 2 Pack



VANMF242 • 04917

Clear High Impact Polycarbonate Lens
Dark Bronze Finish • Energy Saving

Waterproof & Dustproof Silicone Seal
 12.4" (H) • 12.4" (W) • 8.9" (D) • 120/277 Volt
 Uses Two 42 Watt CFL Lamp (Included)
 2 Pack



B. FLS70S • 04994

Clear High Impact Tempered Glass
Dark Bronze Finish

Waterproof & Dustproof Silicone Seal
 7.3" (H) • 9" (W) • 6" (D) • 120 Volt
 Uses One LU70 HPS Lamp (Included)
 4 Pack

FLS100H • 04998

Clear High Impact Tempered Glass
Dark Bronze Finish


Waterproof & Dustproof Silicone Seal
 7.3" (H) • 9" (W) • 6" (D) • 120 Volt
 Uses One MH100 MH Lamp (Included)
 4 Pack



FLMF42 • 04989

Clear High Impact Tempered Glass
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
 7.3" (H) • 9" (W) • 6" (D) • 120/277 Volt
 Uses One 42 Watt CFL Lamp (Included)
 4 Pack



C. FLM150S • 05012

Clear High Impact Tempered Glass
Bronze Powder Finish

Waterproof & Dustproof Silicone Seal
 13" (H) • 9" (W) • 6.9" (D) • 120 Volt
 Uses One LU150 HPS Lamp (Included)
 2 Pack



FLM175H/PS • 05013

Clear High Impact Tempered Glass
Bronze Powder Finish • Pulse Start

Waterproof & Dustproof Silicone Seal
 13" (H) • 9" (W) • 6.9" (D) • Multi Volt
 Uses One MH175/PS MH Lamp (Included)



INDUSTRIAL OUTDOOR FIXTURES

HIGH BAYS



A.



B.

METAL HALIDE & FLUORECENT HIGH BAY



A. HB175MP16PC/PS • 04805

Clear High Impact Polycarbonate Lens
White Powder Finish • Pulse Start

Hook or Pendant Mount

24.9" (H) • 16" (D) • 120 Volt

One MP175/PS MH Lamp (Included)

1 Pack



HB400MP22PC/PS • 04810

Clear High Impact Polycarbonate Lens
White Powder Finish • Pulse Start

Hook or Pendant Mount

27.75" (H) • 22" (D) • 120 Volt

Uses One MP400/PS MH Lamp (Included)

1 Pack



HB250MP16PC/PS • 04809

Clear High Impact Polycarbonate Lens
White Powder Finish • Pulse Start

Hook or Pendant Mount

24.9" (H) • 16" (D) • 120 Volt

Uses One MP250/PS MH Lamp (Included)

1 Pack



B. HBFL16PC/P • 04830

Clear High Impact Polycarbonate Lens
White Powder Finish • Plug Included

Hook or Pendant Mount

16.15" (H) • 16" (D) • 120 Volt

Uses One High Wattage Mogul Base CFL*

1 Pack

LENS

HB16PC/LENS • 04828

Clear High Impact Polycarbonate Lens
Flat & Spring Clamp

1 Pack



HB22PC/LENS • 04814

Clear High Impact Polycarbonate Lens

1 Pack

